




PRODUCT-DETAILS

VM96-4

VM96-4 Mechanical Interlock Unit



General Information

| | |
|-----------------------|--|
| Extended Product Type | VM96-4 |
| Product ID | 1SBN033405T1000 |
| EAN | 3471523130937 |
| Catalog Description | VM96-4 Mechanical Interlock Unit |
| Long Description | VM96-4 is a mechanical interlock unit designed for the interlocking side-by-side without additional width of two 3-pole or 4-pole contactors : AF40... AF96, AFC40... AFC96, AFS40... AFS96. When mounted between two contactors, the VM96-4 mechanical interlock unit prevents one of the contactors from closing as long as the other contactor is closed. The mechanical interlock unit VM96 includes 2 fixing clips (BB4). |

Ordering

| | |
|------------------------|----------|
| Minimum Order Quantity | 10 piece |
| Customs Tariff Number | 85389099 |

Popular Downloads

| | |
|--------------------------|-----------------|
| Instructions and Manuals | 1SBC101040M6801 |
| CAD Dimensional Drawing | 2CDC001079B0201 |

Dimensions

| | |
|----------------------------|----------|
| Product Net Width | 20 mm |
| Product Net Depth / Length | 10 mm |
| Product Net Height | 19.8 mm |
| Product Net Weight | 0.006 kg |

Technical

| | |
|--------------|---|
| Standards | IEC/EN 60947-4-1, UL 60947-1, UL 60947-4-1, CSA C22.2 No. 60947-1-13, CSA C22.2 No. 60947-4-1 |
| Suitable For | AF40 AF52 AF65 AF80 AF96 AFC40 AFC52 AFC65 AFC80 AFC96 AFS40 AFS52 AFS65 AFS80 AFS96 AF40B AF52B AF65B AF80B AF96B |

Material Compliance

| | |
|---|--|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| REACH Declaration | 2CMT2021-006202 |
| RoHS Information | 2CMT2021-006277 |
| RoHS Status | Following EU Directive 2011/65/EU |
| WEEE B2C / B2B | Business To Business |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

Certificates and Declarations

| | |
|----------------------------------|------------------------------------|
| ABS Certificate | ABS_20-2060694-PDA |
| Declaration of Conformity - CE | 1SBD250007U1000 |
| Declaration of Conformity - UKCA | 1SBD250038U1000 |
| RINA Certificate | RINA_ELE084013XG |
| UL Certificate | UL-US-2017443-2 UL-CA-2013922-2 |

Container Information

| | |
|--------------------------------|---------------|
| Package Level 1 Units | bag 10 piece |
| Package Level 1 Width | 120 mm |
| Package Level 1 Depth / Length | 180 mm |
| Package Level 1 Height | 10 mm |
| Package Level 1 Gross Weight | 0.07 kg |
| Package Level 1 EAN | 3471523130937 |

Classifications

| | |
|------------------------------------|--|
| ETIM 4 | EC002498 - Accessories for low-voltage switch technology |
| ETIM 5 | EC002498 - Accessories for low-voltage switch technology |
| ETIM 6 | EC001044 - Mechanic interlock for switch |
| ETIM 7 | EC001044 - Mechanic interlock for switch |
| ETIM 8 | EC001044 - Mechanic interlock for switch |
| eClass | V11.0 : 27371303 |
| UNSPSC | 39122221 |
| IDEA Granular Category Code (IGCC) | 5219 >> Switch part or accessory |
| E-Number (Finland) | 3707149 |
| E-Number (Sweden) | 3210175 |

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors

